

# 2007

## Idaho National Laboratory Annual Illness and Injury Surveillance Report



# Idaho National Laboratory

## 2007 Illness and Injury Surveillance Report

Questions or comments about this report or the Illness and Injury Surveillance Program (IISP) may be directed to:

E-mail:

Dr. Cliff Strader at [cliff.strader@hq.doe.gov](mailto:cliff.strader@hq.doe.gov)  
or Dr. Bonnie Richter at [bonnie.richter@hq.doe.gov](mailto:bonnie.richter@hq.doe.gov)

or direct letters to:

Mail Stop HS-13 / 270CC  
U.S. Department of Energy  
1000 Independence Avenue, S.W.  
Washington, DC 20585-0270

Additional information about the Department of Energy's Office of Illness and Injury Prevention Programs, the IISP, and annual reports for DOE sites participating in this program can be found at:

<http://www.hss.energy.gov/healthsafety/WSHP/epi/surv/>



### ACKNOWLEDGEMENT

LifeART images copyright 2000 Lippincott Williams & Wilkins. All rights reserved.

This document was produced under contract number DE-AC05-06OR23100 between the U.S. Department of Energy and Oak Ridge Associated Universities.

## **Idaho National Laboratory 2007 Illness and Injury Surveillance Report**

### **At A Glance**

The 5,305 employees at Idaho National Laboratory (INL) in 2007 represented a 21 percent decrease from 2006. The INL work force has declined 37 percent since 2002, when there were 8,453 workers. The average age of the work force has increased slightly since 2002 for both men and women. In 2007, the average age was 48 years for men and 46 years for women, compared with the 2002 averages of 46 years and 44 years, respectively.

In keeping with the decreased work force, the total number of absences at INL decreased 34 percent from 2006 to 2007. The average length of an absence at INL decreased during this same period from 58 days in 2006 to 36 days in 2007.

The absence rate among all workers decreased from 2.89 per 100 workers in 2006 to 2.43 per 100 workers in 2007. Absence rates have been relatively stable since 2004.

In 2007, 21 absences among 21 women produced an absence rate of 1.56 per 100 workers (21/1,349). A total of 108 absences reported by 103 men resulted in an absence rate of 2.73 per 100 workers (108/3,956). The lower absence rate among women than among men is consistent with the absence rates observed in 2006. Disorders of the musculoskeletal system, injuries, and respiratory disorders were among the top 3 diagnoses reported by men and women at INL from 2003 to 2007.

Women reported 13 OSHA events and men reported 30 OSHA events at INL in 2007. A total of 47 diagnoses were reported for these events, mostly the result of injuries.

**The Idaho National Laboratory Work Force – 2007**

The Work Force by Gender and Age ..... 1

The Work Force by Gender and Job Category ..... 1

**Number and Length of Absences**

Absence Rate by Gender and Age ..... 2

Number of Days Absent by Gender and Age ..... 2

Absence Rate by Job Category and Gender ..... 3

Average Duration of Absence by Job Category and Gender ..... 3

**Diagnostic Categories**

Number of Diagnoses and Lost Calendar Days by Diagnostic Category (Categorized by ICD-9-CM) and Gender ..... 4

Common Diagnoses Among Female Workers in 2007 ..... 5

Common Diagnoses Among Male Workers in 2007 ..... 6

Number of Most Frequently Reported Diagnoses by Job Category and Gender ..... 7

**Rates of Disease Occurrence**

Rates for All Illnesses and Injuries Combined by Job Category, Gender, and Age ..... 8

Rates for Selected Diagnostic Categories by Job Category, Gender, and Age ..... 8

**Time Trends**

Age-Adjusted Rates for All Diagnoses Combined Among Women and Men from 2003 to 2007 ..... 10

Age-Adjusted Rates for Selected Diagnostic Categories Among Women and Men from 2003 to 2007 ..... 11

Age-Adjusted Rates for All Diagnoses Combined Among Women and Men by Job Category from 2003 to 2007 ..... 12

**Sentinel Health Events for Occupations (SHEOs)**

Characteristics of SHEOs by Gender ..... 13

SHEO Diagnoses by Gender ..... 13

**Occupational Safety and Health Administration (OSHA)-Recordable Events**

OSHA-Recordable Events by Gender and Age ..... 14

OSHA-Recordable Events by Job Category and Gender ..... 14

**Diagnostic and Accident Categories for OSHA-Recordable Events**

OSHA-Recordable Diagnoses by Diagnostic Category and Gender ..... 15

OSHA-Recordable Accidents by Type and Gender ..... 15

**Rates of OSHA-Recordable Events**

OSHA-Recordable Rates by Age and Job Categories Among Women, All Diagnoses Combined ..... 16

OSHA-Recordable Rates by Age and Job Categories Among Men, All Diagnoses Combined ..... 16

**Time Trends for OSHA-Recordable Events**


Age-Adjusted Rates for All OSHA-Recordable Diagnoses Combined Among Women and Men by Job Category from 2003 to 2007 ... 17

**Appendices**

Appendices A-W ..... 19

**The Idaho National Laboratory Work Force - 2007**

**Figure 1. The Work Force by Gender and Age**



**Figure 2. The Work Force by Gender and Job Category**

Job Category	Women	Men
Professional	359 27%	1,598 40%
Administrative Support	681 51%	712 18%
Technical Support	124 9%	554 14%
Service	96 7%	271 7%
Security and Fire	29 2%	206 5%
Crafts	43 3%	456 12%
Line Operators	17 1%	159 4%
Total	1,349 100%	3,956 100%

Number and Length of Absences

Figure 3. Absence Rate by Gender and Age






Figure 4. Number of Days Absent by Gender and Age

Gender	Age	Number of Absences	Number of Days Absent	
			Total	Average
Women	16-29	2	21	11
	30-39	2	56	28
	40-49	7	121	17
	50+	10	346	35
	<b>Total</b>	<b>21</b>	<b>544</b>	<b>26</b>
Men	16-29	1	16	16
	30-39	5	135	27
	40-49	31	1,307	42
	50+	71	2,697	38
	<b>Total</b>	<b>108</b>	<b>4,155</b>	<b>38</b>

**Figure 5. Absence Rate by Job Category and Gender**



**Figure 6. Average Duration of Absence by Job Category and Gender**




**Diagnostic Categories**

**Figure 7. Number of Diagnoses and Lost Calendar Days by Diagnostic Category (Categorized by ICD-9-CM) and Gender**


Diagnostic Category	Women		Men	
	Number of Diagnoses	Number of Lost Calendar Days	Number of Diagnoses	Number of Lost Calendar Days
Benign Growths	0	0	1	26
Blood	0	0	0	0
Cancer	1	91	4	174
Digestive	5	50	17	536
Endocrine/Metabolic	0	0	2	39
Existing Birth Condition	0	0	0	0
Genitourinary	2	41	4	65
Heart/Circulatory	1	43	14	738
Infections/Parasites	0	0	2	45
Injury	5	170	28	834
Miscarriage	0	0	NA	NA
Musculoskeletal	3	63	30	1,416
Nervous System	1	20	5	113
Psychological	0	0	6	142
Respiratory	8	92	21	440
Skin	0	0	1	33
Unspecified Symptoms	0	0	3	196

Note: Lost calendar days for each absence are counted more than once when multiple diagnoses occur in different diagnostic categories for the same absence.

**Figure 8. Common Diagnoses Among Female Workers in 2007**



**Figure 9. Common Diagnoses Among Male Workers in 2007**




<span style="color: blue;">■</span> Digestive, 17 Diagnoses	<span style="color: orange;">■</span> Musculoskeletal, 30 Diagnoses
<span style="color: red;">■</span> Genitourinary, 4 Diagnoses	<span style="color: purple;">■</span> Respiratory, 21 Diagnoses
<span style="color: green;">■</span> Injury, 28 Diagnoses	<span style="color: yellow;">■</span> Unspecified Symptoms, 3 Diagnoses

**Figure 10. Number of Most Frequently Reported Diagnoses by Job Category and Gender**


<b>Job Category</b>	<b>Men</b>		<b>Women</b>	
Professional	Injury	9	Genitourinary	1
	Musculoskeletal	7	Injury	1
	Respiratory	7	Respiratory	1
Administrative Support	Musculoskeletal	7	Respiratory	4
	Respiratory	6	Musculoskeletal	3
	Digestive	4	Digestive	1
			Genitourinary	1
			Heart/Circulatory	1
			Injury	1
Technical Support	Injury	4	Digestive	2
	Digestive	2	Respiratory	1
	Respiratory	2		
Service	Musculoskeletal	4	Digestive	1
	Genitourinary	2	Injury	1
	Heart/Circulatory	2	Nervous System	1
	Injury	2	Respiratory	1
Security and Fire	Heart/Circulatory	4	Injury	1
	Respiratory	3		
	Injury	1		
	Musculoskeletal	1		
Crafts	Musculoskeletal	9	Cancer	1
	Injury	8	Digestive	1
	Digestive	3	Injury	1
	Heart/Circulatory	3	Respiratory	1
	Nervous System	3		
	Psychological	3		
Line Operators	Digestive	4		0
	Musculoskeletal	2		
	Cancer	1		
	Heart/Circulatory	1		
	Injury	1		
	Respiratory	1		
	Unspecified Symptoms	1		

Rates of Disease Occurrence


**Figure 11. Rates for All Illnesses and Injuries Combined by Job Category, Gender, and Age**


All Illnesses & Injuries Combined	Rate per 1,000			
	Job Category	Age	Men	Women
	Professional	<50	10	8
		50+	34	9
	Administrative Support	<50	14	16
		50+	61	17
	Technical Support	<50	19	23
		50+	26	26
	Service	<50	17	41
		50+	67	43
	Security and Fire	<50	24	0
		50+	75	77
	Crafts	<50	58	107
		50+	90	67
	Line Operators	<50	34	0
		50+	113	0

**Figure 12. Rates for Selected Diagnostic Categories by Job Category, Gender, and Age**

Cancer	Rate per 1,000			
	Job Category	Age	Men	Women
	Professional	<50	0	0
		50+	1	0
	Administrative Support	<50	3	0
		50+	3	0
	Technical Support	<50	0	0
		50+	0	0
	Service	<50	0	0
		50+	0	0
	Security and Fire	<50	0	0
		50+	0	0
	Crafts	<50	0	0
		50+	0	67
	Line Operators	<50	0	0
		50+	14	0

**Figure 12. Rates for Selected Diagnostic Categories by Job Category, Gender, and Age (Continued)**

Heart/Circulatory	Rate per 1,000			
	Job Category	Age	Men	Women
	Professional	<50	0	0
		50+	1	0
	Administrative Support	<50	0	3
		50+	6	0
	Technical Support	<50	0	0
		50+	4	0
	Service	<50	0	0
		50+	13	0
	Security and Fire	<50	0	0
		50+	50	0
	Crafts	<50	0	0
		50+	15	0
	Line Operators	<50	0	0
		50+	14	0


Respiratory	Rate per 1,000			
	Job Category	Age	Men	Women
	Professional	<50	2	4
		50+	6	0
	Administrative Support	<50	5	8
		50+	12	3
	Technical Support	<50	3	0
		50+	4	26
	Service	<50	0	20
		50+	0	0
	Security and Fire	<50	8	0
		50+	25	0
	Crafts	<50	4	36
		50+	5	0
	Line Operators	<50	11	0
		50+	0	0

**Figure 12. Rates for Selected Diagnostic Categories by Job Category, Gender, and Age (Continued)**

Injury	Rate per 1,000			
	Job Category	Age	Men	Women
	Professional	<50	6	0
		50+	5	9
	Administrative Support	<50	0	0
		50+	9	3
	Technical Support	<50	3	0
		50+	13	0
	Service	<50	8	0
		50+	7	21
	Security and Fire	<50	8	0
		50+	0	77
	Crafts	<50	16	36
		50+	20	0
	Line Operators	<50	11	0
		50+	0	0


**Time Trends**

**Figure 13. Age-Adjusted Rates for All Diagnoses Combined Among Women and Men from 2003 to 2007\***




\* Standardized to age distribution of 2000 U.S. population.

**Figure 14. Age-Adjusted Rates for Selected Diagnostic Categories Among Women and Men from 2003 to 2007\***



\* Standardized to age distribution of 2000 U.S. population.

**Figure 15. Age-Adjusted Rates for All Diagnoses Combined Among Women and Men by Job Category from 2003 to 2007\***



\* Standardized to age distribution of 2000 U.S. population.

### Sentinel Health Events for Occupations (SHEOs)

An occupational sentinel health event (SHEO) is a disease, disability, or death that is likely to be occupationally related. Although sentinel health events may indicate an occupational exposure, many may result from nonoccupational exposures. Sentinel health events are therefore assessed in two categories:

*Definite Sentinel Health Events:* Diseases that are unlikely to occur in the absence of an occupational exposure (e.g., asbestosis).

*Possible Sentinel Health Events:* Diseases that may be occupational but can also occur in the absence of an occupational exposure (e.g., lung cancer or carpal tunnel syndrome).

**Figure 16. Characteristics of SHEOs by Gender**

	Total Number of SHEO Diagnoses		Total Number of Days Absent	
	Men	Women	Men	Women
<b>Definite</b>	0	0	0	0
<b>Possible</b>	1	0	53	0
<b>Total</b>	1	0	53	0

**Figure 17. SHEO Diagnoses by Gender**

Diagnoses	Gender	
	Women	Men
<b>Carpal Tunnel Syndrome</b>	0	1
<b>Pneumonconiosis (Berylliosis)</b>	0	0
<b>Musculoskeletal Conditions</b>	0	0
<b>Injuries</b>	0	0
<b>Other Conditions</b>	0	0

Occupational Safety and Health Administration (OSHA)-Recordable Events

Figure 18. OSHA-Recordable Events by Gender and Age





Figure 19. OSHA-Recordable Events by Job Category and Gender



## Diagnostic and Accident Categories for OSHA-Recordable Events

**Figure 20. OSHA-Recordable Diagnoses by Diagnostic Category and Gender**


Diagnostic Category	Gender	
	Women	Men
Musculoskeletal	1	1
Nervous System	0	2
Respiratory	1	1
Injury	13	28
Fractures – Skull	0	1
Fractures – Upper Limb	0	2
Fractures – Lower Limb	0	3
Back Sprains & Strains	0	4
Other Sprains & Strains	6	5
Open Wounds – Head, Neck, Trunk	1	0
Open Wounds – Upper Limb	0	7
Superficial Injuries	0	1
Bruises	3	0
Foreign Bodies Entering Orifice	0	1
Burns	1	0
Unspecified Injuries	2	1
Adverse Reactions to Non-Medical Substances	0	1
Adverse Reactions to External Causes	0	2

**Figure 21. OSHA-Recordable Accidents by Type and Gender**


Accident Category	Gender	
	Women	Men
	Number of Accidents	Number of Accidents
Poisoning – Non-Medicinal	0	1
Falls	1	1
Submersion/Suffocation/Foreign Bodies	0	1
Other Accidents	2	8
Struck by an Object	0	2
Machinery	0	1
Cutting/Piercing Instrument/Object	0	2
Electric Current	0	2
Repetitive Trauma	2	1
Total	3	11

Rates of OSHA-Recordable Events

**Figure 22. OSHA-Recordable Rates by Age and Job Categories Among Women, All Diagnoses Combined**




**Figure 23. OSHA-Recordable Rates by Age and Job Categories Among Men, All Diagnoses Combined**



Time Trends for OSHA-Recordable Events

Figure 24. Age-Adjusted Rates for All OSHA-Recordable Diagnoses Combined Among Women and Men by Job Category from 2003 to 2007\*



\* Standardized to age distribution of 2000 U.S. population.

## **Appendices**

# Idaho National Laboratory 2007

## Absence Data

### Appendix A. Work Force by Gender, Age, and Job Category

Job Category	Women					Men					TOTAL
	Age Group				TOTAL	Age Group				TOTAL	
	16 - 29	30 - 39	40 - 49	50 +		16 - 29	30 - 39	40 - 49	50 +		
Professional	11	54	183	111	359	50	179	581	788	1,598	1,957
Administrative Support	53	112	217	299	681	37	94	235	346	712	1,393
Technical Support	13	28	45	38	124	40	85	194	235	554	678
Service	8	14	27	47	96	21	42	58	150	271	367
Security and Fire	3	6	7	13	29	12	40	74	80	206	235
Crafts	8	6	14	15	43	52	61	144	199	456	499
Line Operators	3	5	5	4	17	10	23	55	71	159	176
<b>TOTAL</b>	99	225	498	527	1,349	222	524	1,341	1,869	3,956	5,305

### Appendix B. Age Distribution of the Work Force by Gender

Year	Women				Men			
	Percent Distribution by Age Group				Percent Distribution by Age Group			
	16 - 29	30 - 39	40 - 49	50 +	16 - 29	30 - 39	40 - 49	50 +
1993	21.01	34.35	28.99	15.65	10.30	33.87	32.67	23.17
1994	22.68	33.47	27.52	16.33	10.03	30.36	32.65	26.95
1995	19.44	32.92	29.28	18.35	8.13	29.02	33.91	28.93
1996	12.46	34.28	35.33	17.93	5.75	30.58	39.53	24.14
1997	10.77	32.93	36.22	20.08	5.50	27.88	39.78	26.84
1998	10.47	30.61	36.61	22.32	5.07	25.65	39.39	29.89
1999	11.02	29.59	34.58	24.81	5.68	23.14	38.01	33.18
2000	10.85	28.08	35.78	25.29	5.95	22.02	37.76	34.27
2001	9.92	24.69	37.88	27.50	5.04	20.00	37.79	37.17
2002	9.18	23.21	38.52	29.10	5.57	17.85	37.32	39.27
2003	7.56	21.86	40.15	30.43	6.98	16.49	38.49	38.05
2004	7.96	19.24	39.03	33.77	7.19	15.16	36.15	41.50
2005	10.55	17.03	38.37	34.05	11.18	16.18	33.05	39.58
2006	8.17	16.09	37.81	37.93	7.88	14.65	33.19	44.28
2007	7.34	16.68	36.92	39.07	5.61	13.25	33.90	47.24

# Idaho National Laboratory 2007

## Absence Data

### Appendix C. Total Number of Workers Who Reported at Least One Absence by Gender, Age, and Job Category\*

Job Category	Women					Men					TOTAL
	Age Group				TOTAL	Age Group				TOTAL	
	16 - 29	30 - 39	40 - 49	50 +		16 - 29	30 - 39	40 - 49	50 +		
Professional	0	0	2	1	3	0	3	4	19	26	29
Administrative Support	2	1	2	4	9	0	1	3	13	17	26
Technical Support	0	1	0	1	2	0	0	5	4	9	11
Service	0	0	1	2	3	0	0	2	7	9	12
Security and Fire	0	0	0	1	1	0	1	2	5	8	9
Crafts	0	0	2	1	3	0	0	13	13	26	29
Line Operators	0	0	0	0	0	1	0	2	5	8	8
<b>TOTAL</b>	2	2	7	10	21	1	5	31	66	103	124

\*Only those job categories and gender/age combinations with at least one absence appear in this table.

### Appendix D. Total Number of Absences by Gender, Age, and Job Category\*

Job Category	Women					Men					TOTAL
	Age Group				TOTAL	Age Group				TOTAL	
	16 - 29	30 - 39	40 - 49	50 +		16 - 29	30 - 39	40 - 49	50 +		
Professional	0	0	2	1	3	0	3	4	20	27	30
Administrative Support	2	1	2	4	9	0	1	3	14	18	27
Technical Support	0	1	0	1	2	0	0	5	5	10	12
Service	0	0	1	2	3	0	0	2	7	9	12
Security and Fire	0	0	0	1	1	0	1	2	6	9	10
Crafts	0	0	2	1	3	0	0	13	14	27	30
Line Operators	0	0	0	0	0	1	0	2	5	8	8
<b>TOTAL</b>	2	2	7	10	21	1	5	31	71	108	129

\*Only those job categories and gender/age combinations with at least one absence appear in this table.

# Idaho National Laboratory 2007

## Absence Data

### Appendix E. Distribution of the Number of Calendar Days Missed per Absence by Gender and Age\*

Number of Calendar Days	Women					Men					TOTAL
	Age Group				TOTAL	Age Group				TOTAL	
	16 - 29	30 - 39	40 - 49	50 +		16 - 29	30 - 39	40 - 49	50 +		
< 15	2	1	3	1	7	0	1	3	16	20	27
15 - 28	0	0	3	5	8	1	3	7	24	35	43
29 - 42	0	0	1	2	3	0	0	8	14	22	25
43 - 56	0	1	0	0	1	0	0	6	6	12	13
57 - 91	0	0	0	2	2	0	1	5	4	10	12
92 - 182	0	0	0	0	0	0	0	2	7	9	9
<b>TOTAL</b>	2	2	7	10	21	1	5	31	71	108	129

\*Only those gender/age combinations with at least one absence appear in this table.

# Idaho National Laboratory 2007

## Absence Data

### Appendix F. Distribution of the Number of Calendar Days Missed per Absence by Gender and Job Category\*

#### Women

Number of Calendar Days	Job Category							TOTAL
	Professional	Administrative Support	Technical Support	Service	Security and Fire	Crafts	Line Operators	
< 15	1	4	1	1	0	0	0	7
15 - 28	1	2	1	2	0	2	0	8
29 - 42	1	2	0	0	0	0	0	3
43 - 56	0	1	0	0	0	0	0	1
57 - 91	0	0	0	0	1	1	0	2
92 - 182	0	0	0	0	0	0	0	0
<b>TOTAL</b>	3	9	2	3	1	3	0	21

#### Men

Number of Calendar Days	Job Category							TOTAL
	Professional	Administrative Support	Technical Support	Service	Security and Fire	Crafts	Line Operators	
< 15	8	2	0	2	5	3	0	20
15 - 28	12	4	5	3	3	5	3	35
29 - 42	4	2	3	1	1	9	2	22
43 - 56	2	4	0	1	0	4	1	12
57 - 91	0	4	1	0	0	4	1	10
92 - 182	1	2	1	2	0	2	1	9
<b>TOTAL</b>	27	18	10	9	9	27	8	108

\*Only those gender/job category combinations with at least one absence appear in this table.

# Idaho National Laboratory 2007

## Absence Data

### Appendix G. Number of Diagnoses in Each Diagnostic Category by Gender and Age\*

		Women				
		Age Group				TOTAL
		16 - 29	30 - 39	40 - 49	50 +	
Diagnostic Category	ICD-9-CM Code					
<b>INFECTIOUS &amp; PARASITIC DISEASES (DIS)</b>	<b>001-139</b>	0	0	0	0	0
-Intestinal Infectious Dis	001-009	0	0	0	0	0
-Polio & Other Viral CNS Dis	045-049	0	0	0	0	0
<b>MALIGNANT NEOPLASMS</b>	<b>140-208, 230-234</b>	0	0	0	1	1
-Breast	174-175	0	0	0	1	1
-Genitourinary	179-189	0	0	0	0	0
-Other & Unspecified Sites	190, 193-199	0	0	0	0	0
-Lymphatic & Hematopoietic	200-208	0	0	0	0	0
<b>BENIGN &amp; UNCERTAIN NEOPLASMS</b>	<b>210-229, 235-239</b>	0	0	0	0	0
<b>ENDOCRINE/METABOLIC/IMMUNITY</b>	<b>240-279</b>	0	0	0	0	0
-Thyroid Gland Disorders	240-246	0	0	0	0	0
-Other Metabolic & Immunity Disorders	270-279	0	0	0	0	0
<b>MENTAL DISORDERS</b>	<b>290-319</b>	0	0	0	0	0
-Psychoses	290-299	0	0	0	0	0
-Non-Psychotic Disorders	300-302, 306-316	0	0	0	0	0
<b>NERVOUS SYSTEM (NS) &amp; SENSE ORGANS</b>	<b>320-389</b>	0	0	0	1	1
-Disorders of Peripheral NS	350-359	0	0	0	0	0
-Disorders of Eye	360-379	0	0	0	1	1
-Dis of Ear & Mastoid	380-389	0	0	0	0	0
<b>CIRCULATORY SYSTEM</b>	<b>390-459</b>	0	1	0	0	1
-Ischemic Heart Dis	410-414	0	0	0	0	0
-Dis of Pulmonary Circulation	415-417	0	0	0	0	0
-Other Heart Dis	420-429	0	0	0	0	0
-Cerebrovascular Dis	430-438	0	1	0	0	1
-Dis of Arteries & Capillaries	440-448	0	0	0	0	0
-Dis of Veins, Lymphatics, Other	451-459	0	0	0	0	0
<b>RESPIRATORY SYSTEM</b>	<b>460-519</b>	3	0	3	2	8
-Acute Respiratory Infections	460-466	3	0	1	0	4
-Other Dis Upper Respiratory Tract	470-478	0	0	1	1	2
-Pneumonia & Influenza	480-487	0	0	1	1	2
-Other Respiratory Dis	510-519	0	0	0	0	0
<b>DIGESTIVE SYSTEM</b>	<b>520-579</b>	0	2	3	0	5
-Esophagus, Stomach, Duodenum	530-537	0	2	0	0	2
-Appendicitis	540-543	0	0	0	0	0
-Hernia	550-553	0	0	0	0	0
-Enteritis, Colitis	555-558	0	0	1	0	1
-Other Intestinal Dis	560-569	0	0	0	0	0

(Continued)

\*Only those diagnostic categories and gender/age combinations with at least one occurrence appear in this table.

# Idaho National Laboratory 2007

## Absence Data

### Appendix G. Number of Diagnoses in Each Diagnostic Category by Gender and Age\*

		Men					TOTAL
		Age Group				TOTAL	
		16 - 29	30 - 39	40 - 49	50 +		
Diagnostic Category	ICD-9-CM Code						
<b>INFECTIOUS &amp; PARASITIC DISEASES (DIS)</b>	<b>001-139</b>	0	0	1	1	2	2
-Intestinal Infectious Dis	001-009	0	0	1	0	1	1
-Polio & Other Viral CNS Dis	045-049	0	0	0	1	1	1
<b>MALIGNANT NEOPLASMS</b>	<b>140-208, 230-234</b>	0	0	1	3	4	5
-Breast	174-175	0	0	0	0	0	1
-Genitourinary	179-189	0	0	0	2	2	2
-Other & Unspecified Sites	190, 193-199	0	0	1	0	1	1
-Lymphatic & Hematopoietic	200-208	0	0	0	1	1	1
<b>BENIGN &amp; UNCERTAIN NEOPLASMS</b>	<b>210-229, 235-239</b>	0	0	0	1	1	1
<b>ENDOCRINE/METABOLIC/IMMUNITY</b>	<b>240-279</b>	0	0	1	1	2	2
-Thyroid Gland Disorders	240-246	0	0	0	1	1	1
-Other Metabolic & Immunity Disorders	270-279	0	0	1	0	1	1
<b>MENTAL DISORDERS</b>	<b>290-319</b>	0	0	3	3	6	6
-Psychoses	290-299	0	0	2	0	2	2
-Non-Psychotic Disorders	300-302, 306-316	0	0	1	3	4	4
<b>NERVOUS SYSTEM (NS) &amp; SENSE ORGANS</b>	<b>320-389</b>	0	0	0	5	5	6
-Disorders of Peripheral NS	350-359	0	0	0	2	2	2
-Disorders of Eye	360-379	0	0	0	0	0	1
-Dis of Ear & Mastoid	380-389	0	0	0	3	3	3
<b>CIRCULATORY SYSTEM</b>	<b>390-459</b>	0	0	0	14	14	15
-Ischemic Heart Dis	410-414	0	0	0	6	6	6
-Dis of Pulmonary Circulation	415-417	0	0	0	1	1	1
-Other Heart Dis	420-429	0	0	0	2	2	2
-Cerebrovascular Dis	430-438	0	0	0	0	0	1
-Dis of Arteries & Capillaries	440-448	0	0	0	1	1	1
-Dis of Veins, Lymphatics, Other	451-459	0	0	0	4	4	4
<b>RESPIRATORY SYSTEM</b>	<b>460-519</b>	0	2	6	13	21	29
-Acute Respiratory Infections	460-466	0	1	2	4	7	11
-Other Dis Upper Respiratory Tract	470-478	0	0	1	3	4	6
-Pneumonia & Influenza	480-487	0	1	3	5	9	11
-Other Respiratory Dis	510-519	0	0	0	1	1	1
<b>DIGESTIVE SYSTEM</b>	<b>520-579</b>	0	0	4	13	17	22
-Esophagus, Stomach, Duodenum	530-537	0	0	0	1	1	3
-Appendicitis	540-543	0	0	1	1	2	2
-Hernia	550-553	0	0	2	9	11	11
-Enteritis, Colitis	555-558	0	0	0	1	1	2
-Other Intestinal Dis	560-569	0	0	0	1	1	1

(Continued)

\*Only those diagnostic categories and gender/age combinations with at least one occurrence appear in this table.

# Idaho National Laboratory 2007

## Absence Data

### Appendix G. Number of Diagnoses in Each Diagnostic Category by Gender and Age\*

		Women				
		Age Group				TOTAL
		16 - 29	30 - 39	40 - 49	50 +	
Diagnostic Category	ICD-9-CM Code					
-Other Digestive Dis	570-579	0	0	2	0	2
<b>GENITOURINARY SYSTEM</b>	<b>580-629</b>	0	0	1	1	2
-Other Urinary Dis	590-599	0	0	0	0	0
-Male Genital Organ Dis	600-608	0	0	0	0	0
-Breast Disorders	610-611	0	0	0	1	1
-Other Female Disorders	617-629	0	0	1	0	1
<b>SKIN &amp; SUBCUTANEOUS TISSUE</b>	<b>680-709</b>	0	0	0	0	0
-Infections	680-686	0	0	0	0	0
<b>MUSCULOSKELETAL &amp; CONNECTIVE TISSUE</b>	<b>710-739</b>	0	0	1	2	3
-Arthropathies	710-719	0	0	1	1	2
-Dorsopathies	720-724	0	0	0	0	0
-Rheumatism, Excluding Back	725-729	0	0	0	1	1
-Other Dis & Acquired Deformities	730-739	0	0	0	0	0
<b>SYMPTOMS, SIGNS, &amp; ILL-DEFINED CONDITIONS</b>	<b>780-799</b>	0	0	0	0	0
-Symptoms	780-789	0	0	0	0	0
-Ill-Defined & Unknown Causes	797-799	0	0	0	0	0
<b>INJURY &amp; POISONING</b>	<b>800-999</b>	0	0	1	4	5
-Fracture - Upper Limb	810-819	0	0	0	0	0
-Fracture - Lower Limb	820-829	0	0	0	2	2
-Dislocation	830-839	0	0	0	1	1
-Sprains & Strains - Back	846-847	0	0	0	0	0
-Sprains & Strains - Other	840-845, 848	0	0	1	1	2
-Open Wound - Lower Limb	890-897	0	0	0	0	0
-Contusion	920-924	0	0	0	0	0
-Complications of Surgical/Medical Care	996-999	0	0	0	0	0
<b>HEALTH STATUS/HEALTH SERVICE CONTACT</b>	<b>V01-V82</b>	0	0	0	0	0
-Personal & Family History	V10-V19	0	0	0	0	0
-Specific Procedures/Aftercare	V50-V59	0	0	0	0	0

\*Only those diagnostic categories and gender/age combinations with at least one occurrence appear in this table.

# Idaho National Laboratory 2007

## Absence Data

### Appendix G. Number of Diagnoses in Each Diagnostic Category by Gender and Age\*

		Men					TOTAL
		Age Group				TOTAL	
		16 - 29	30 - 39	40 - 49	50 +		
Diagnostic Category	ICD-9-CM Code						
-Other Digestive Dis	570-579	0	0	1	0	1	3
GENITOURINARY SYSTEM	580-629	0	0	2	2	4	6
-Other Urinary Dis	590-599	0	0	1	2	3	3
-Male Genital Organ Dis	600-608	0	0	1	0	1	1
-Breast Disorders	610-611	0	0	0	0	0	1
-Other Female Disorders	617-629	0	0	0	0	0	1
SKIN & SUBCUTANEOUS TISSUE	680-709	0	0	0	1	1	1
-Infections	680-686	0	0	0	1	1	1
MUSCULOSKELETAL & CONNECTIVE TISSUE	710-739	0	2	6	22	30	33
-Arthropathies	710-719	0	0	2	9	11	13
-Dorsopathies	720-724	0	2	1	7	10	10
-Rheumatism, Excluding Back	725-729	0	0	2	5	7	8
-Other Dis & Acquired Deformities	730-739	0	0	1	1	2	2
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS	780-799	0	0	1	2	3	3
-Symptoms	780-789	0	0	1	1	2	2
-Ill-Defined & Unknown Causes	797-799	0	0	0	1	1	1
INJURY & POISONING	800-999	1	1	11	15	28	33
-Fracture - Upper Limb	810-819	1	0	0	0	1	1
-Fracture - Lower Limb	820-829	0	0	1	1	2	4
-Dislocation	830-839	0	1	3	4	8	9
-Sprains & Strains - Back	846-847	0	0	0	4	4	4
-Sprains & Strains - Other	840-845, 848	0	0	5	4	9	11
-Open Wound - Lower Limb	890-897	0	0	1	0	1	1
-Contusion	920-924	0	0	1	0	1	1
-Complications of Surgical/Medical Care	996-999	0	0	0	2	2	2
HEALTH STATUS/HEALTH SERVICE CONTACT	V01-V82	0	0	0	2	2	2
-Personal & Family History	V10-V19	0	0	0	1	1	1
-Specific Procedures/Aftercare	V50-V59	0	0	0	1	1	1

	Women					Men					TOTAL
	Age Group				TOTAL	Age Group				TOTAL	
	16 - 29	30 - 39	40 - 49	50 +		16 - 29	30 - 39	40 - 49	50 +		
Diagnostic Category											
<b>TOTAL</b>	3	3	9	11	26	1	5	36	98	140	166

\*Only those diagnostic categories and gender/age combinations with at least one occurrence appear in this table.

# Idaho National Laboratory 2007

## Absence Data

### Appendix H. Total Number of Calendar Days Absent in Each Diagnostic Category by Gender and Age\*

		Women				
		Age Group				TOTAL
		16 - 29	30 - 39	40 - 49	50 +	
Diagnostic Category	ICD-9-CM Code					
INFECTIOUS & PARASITIC DISEASES (DIS)	001-139	0	0	0	0	0
MALIGNANT NEOPLASMS	140-208, 230-234	0	0	0	91	91
BENIGN & UNCERTAIN NEOPLASMS	210-229, 235-239	0	0	0	0	0
ENDOCRINE/METABOLIC/IMMUNITY	240-279	0	0	0	0	0
MENTAL DISORDERS	290-319	0	0	0	0	0
NERVOUS SYSTEM (NS) & SENSE ORGANS	320-389	0	0	0	20	20
CIRCULATORY SYSTEM	390-459	0	43	0	0	43
RESPIRATORY SYSTEM	460-519	21	0	42	29	92
DIGESTIVE SYSTEM	520-579	0	13	37	0	50
GENITOURINARY SYSTEM	580-629	0	0	11	30	41
SKIN & SUBCUTANEOUS TISSUE	680-709	0	0	0	0	0
MUSCULOSKELETAL & CONNECTIVE TISSUE	710-739	0	0	38	25	63
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS	780-799	0	0	0	0	0
INJURY & POISONING	800-999	0	0	19	151	170

		Men					TOTAL
		Age Group				TOTAL	
		16 - 29	30 - 39	40 - 49	50 +		
Diagnostic Category	ICD-9-CM Code						
INFECTIOUS & PARASITIC DISEASES (DIS)	001-139	0	0	21	24	45	45
MALIGNANT NEOPLASMS	140-208, 230-234	0	0	70	104	174	265
BENIGN & UNCERTAIN NEOPLASMS	210-229, 235-239	0	0	0	26	26	26
ENDOCRINE/METABOLIC/IMMUNITY	240-279	0	0	20	19	39	39
MENTAL DISORDERS	290-319	0	0	75	67	142	142
NERVOUS SYSTEM (NS) & SENSE ORGANS	320-389	0	0	0	113	113	133
CIRCULATORY SYSTEM	390-459	0	0	0	738	738	781
RESPIRATORY SYSTEM	460-519	0	37	182	221	440	532
DIGESTIVE SYSTEM	520-579	0	0	120	416	536	586
GENITOURINARY SYSTEM	580-629	0	0	47	18	65	106
SKIN & SUBCUTANEOUS TISSUE	680-709	0	0	0	33	33	33
MUSCULOSKELETAL & CONNECTIVE TISSUE	710-739	0	87	330	999	1,416	1,479
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS	780-799	0	0	20	176	196	196
INJURY & POISONING	800-999	16	11	442	365	834	1,004

\*Absences with >1 ICD-9-CM code in the same diagnostic category were counted only once. Only those diagnostic categories and gender/age combinations with at least one occurrence appear in this table.

# Idaho National Laboratory 2007

## Absence Data

### Appendix I. Number of Diagnoses in Each Diagnostic Category by Gender and Job Category\*

		Women		
		Job Category		
		Professional	Administrative Support	Technical Support
Diagnostic Category	ICD-9-CM Code			
<b>MALIGNANT NEOPLASMS</b>	<b>140-208, 230-234</b>	0	0	0
-Breast	174-175	0	0	0
<b>NERVOUS SYSTEM (NS) &amp; SENSE ORGANS</b>	<b>320-389</b>	0	0	0
-Disorders of Eye	360-379	0	0	0
<b>CIRCULATORY SYSTEM</b>	<b>390-459</b>	0	1	0
-Cerebrovascular Dis	430-438	0	1	0
<b>RESPIRATORY SYSTEM</b>	<b>460-519</b>	1	4	1
-Acute Respiratory Infections	460-466	0	3	0
-Other Dis Upper Respiratory Tract	470-478	0	0	1
-Pneumonia & Influenza	480-487	1	1	0
<b>DIGESTIVE SYSTEM</b>	<b>520-579</b>	0	1	2
-Esophagus, Stomach, Duodenum	530-537	0	0	2
-Enteritis, Colitis	555-558	0	0	0
-Other Digestive Dis	570-579	0	1	0
<b>GENITOURINARY SYSTEM</b>	<b>580-629</b>	1	1	0
-Breast Disorders	610-611	0	1	0
-Other Female Disorders	617-629	1	0	0
<b>MUSCULOSKELETAL &amp; CONNECTIVE TISSUE</b>	<b>710-739</b>	0	3	0
-Arthropathies	710-719	0	2	0
-Rheumatism, Excluding Back	725-729	0	1	0
<b>INJURY &amp; POISONING</b>	<b>800-999</b>	1	1	0
-Fracture - Lower Limb	820-829	1	0	0
-Dislocation	830-839	0	0	0
-Sprains & Strains - Other	840-845, 848	0	1	0

\*Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

# Idaho National Laboratory 2007

## Absence Data

### Appendix I. Number of Diagnoses in Each Diagnostic Category by Gender and Job Category\*

		Women				TOTAL
		Job Category				
		Service	Security and Fire	Crafts		
Diagnostic Category	ICD-9-CM Code					
MALIGNANT NEOPLASMS	140-208, 230-234	0	0	1	1	
-Breast	174-175	0	0	1	1	
NERVOUS SYSTEM (NS) & SENSE ORGANS	320-389	1	0	0	1	
-Disorders of Eye	360-379	1	0	0	1	
CIRCULATORY SYSTEM	390-459	0	0	0	1	
-Cerebrovascular Dis	430-438	0	0	0	1	
RESPIRATORY SYSTEM	460-519	1	0	1	8	
-Acute Respiratory Infections	460-466	0	0	1	4	
-Other Dis Upper Respiratory Tract	470-478	1	0	0	2	
-Pneumonia & Influenza	480-487	0	0	0	2	
DIGESTIVE SYSTEM	520-579	1	0	1	5	
-Esophagus, Stomach, Duodenum	530-537	0	0	0	2	
-Enteritis, Colitis	555-558	1	0	0	1	
-Other Digestive Dis	570-579	0	0	1	2	
GENITOURINARY SYSTEM	580-629	0	0	0	2	
-Breast Disorders	610-611	0	0	0	1	
-Other Female Disorders	617-629	0	0	0	1	
MUSCULOSKELETAL & CONNECTIVE TISSUE	710-739	0	0	0	3	
-Arthropathies	710-719	0	0	0	2	
-Rheumatism, Excluding Back	725-729	0	0	0	1	
INJURY & POISONING	800-999	1	1	1	5	
-Fracture - Lower Limb	820-829	0	1	0	2	
-Dislocation	830-839	1	0	0	1	
-Sprains & Strains - Other	840-845, 848	0	0	1	2	

	Women						TOTAL
	Job Category						
	Professional	Administrative Support	Technical Support	Service	Security and Fire		
Diagnostic Category							
TOTAL	3	11	3	4	1	4	26

\*Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

# Idaho National Laboratory 2007

## Absence Data

### Appendix I. Number of Diagnoses in Each Diagnostic Category by Gender and Job Category\*

		Men			
		Job Category			
		Professional	Administrative Support	Technical Support	Service
Diagnostic Category	ICD-9-CM Code				
<b>INFECTIOUS &amp; PARASITIC DISEASES (DIS)</b>	<b>001-139</b>	0	1	0	0
-Intestinal Infectious Dis	001-009	0	0	0	0
-Polio & Other Viral CNS Dis	045-049	0	1	0	0
<b>MALIGNANT NEOPLASMS</b>	<b>140-208, 230-234</b>	1	2	0	0
-Genitourinary	179-189	0	1	0	0
-Other & Unspecified Sites	190, 193-199	0	1	0	0
-Lymphatic & Hematopoietic	200-208	1	0	0	0
<b>BENIGN &amp; UNCERTAIN NEOPLASMS</b>	<b>210-229, 235-239</b>	1	0	0	0
<b>ENDOCRINE/METABOLIC/IMMUNITY</b>	<b>240-279</b>	1	0	1	0
-Thyroid Gland Disorders	240-246	1	0	0	0
-Other Metabolic & Immunity Disorders	270-279	0	0	1	0
<b>MENTAL DISORDERS</b>	<b>290-319</b>	2	1	0	0
-Psychoses	290-299	0	0	0	0
-Non-Psychotic Disorders	300-302, 306-316	2	1	0	0
<b>NERVOUS SYSTEM (NS) &amp; SENSE ORGANS</b>	<b>320-389</b>	1	0	0	1
-Disorders of Peripheral NS	350-359	0	0	0	0
-Dis of Ear & Mastoid	380-389	1	0	0	1
<b>CIRCULATORY SYSTEM</b>	<b>390-459</b>	1	2	1	2
-Ischemic Heart Dis	410-414	0	0	0	2
-Dis of Pulmonary Circulation	415-417	0	0	0	0
-Other Heart Dis	420-429	0	0	0	0
-Dis of Arteries & Capillaries	440-448	0	0	1	0
-Dis of Veins, Lymphatics, Other	451-459	1	2	0	0
<b>RESPIRATORY SYSTEM</b>	<b>460-519</b>	7	6	2	0
-Acute Respiratory Infections	460-466	2	2	0	0
-Other Dis Upper Respiratory Tract	470-478	2	1	1	0
-Pneumonia & Influenza	480-487	3	2	1	0
-Other Respiratory Dis	510-519	0	1	0	0
<b>DIGESTIVE SYSTEM</b>	<b>520-579</b>	3	4	2	1
-Esophagus, Stomach, Duodenum	530-537	1	0	0	0
-Appendicitis	540-543	0	1	0	1
-Hernia	550-553	1	3	2	0
-Enteritis, Colitis	555-558	0	0	0	0
-Other Intestinal Dis	560-569	1	0	0	0
-Other Digestive Dis	570-579	0	0	0	0
<b>GENITOURINARY SYSTEM</b>	<b>580-629</b>	1	0	1	2

(Continued)

\*Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

# Idaho National Laboratory 2007

## Absence Data

### Appendix I. Number of Diagnoses in Each Diagnostic Category by Gender and Job Category\*

		Men			
		Job Category			TOTAL
		Security and Fire	Crafts	Line Operators	
Diagnostic Category	ICD-9-CM Code				
<b>INFECTIOUS &amp; PARASITIC DISEASES (DIS)</b>	<b>001-139</b>	0	1	0	2
-Intestinal Infectious Dis	001-009	0	1	0	1
-Polio & Other Viral CNS Dis	045-049	0	0	0	1
<b>MALIGNANT NEOPLASMS</b>	<b>140-208, 230-234</b>	0	0	1	4
-Genitourinary	179-189	0	0	1	2
-Other & Unspecified Sites	190, 193-199	0	0	0	1
-Lymphatic & Hematopoietic	200-208	0	0	0	1
<b>BENIGN &amp; UNCERTAIN NEOPLASMS</b>	<b>210-229, 235-239</b>	0	0	0	1
<b>ENDOCRINE/METABOLIC/IMMUNITY</b>	<b>240-279</b>	0	0	0	2
-Thyroid Gland Disorders	240-246	0	0	0	1
-Other Metabolic & Immunity Disorders	270-279	0	0	0	1
<b>MENTAL DISORDERS</b>	<b>290-319</b>	0	3	0	6
-Psychoses	290-299	0	2	0	2
-Non-Psychotic Disorders	300-302, 306-316	0	1	0	4
<b>NERVOUS SYSTEM (NS) &amp; SENSE ORGANS</b>	<b>320-389</b>	0	3	0	5
-Disorders of Peripheral NS	350-359	0	2	0	2
-Dis of Ear & Mastoid	380-389	0	1	0	3
<b>CIRCULATORY SYSTEM</b>	<b>390-459</b>	4	3	1	14
-Ischemic Heart Dis	410-414	4	0	0	6
-Dis of Pulmonary Circulation	415-417	0	1	0	1
-Other Heart Dis	420-429	0	1	1	2
-Dis of Arteries & Capillaries	440-448	0	0	0	1
-Dis of Veins, Lymphatics, Other	451-459	0	1	0	4
<b>RESPIRATORY SYSTEM</b>	<b>460-519</b>	3	2	1	21
-Acute Respiratory Infections	460-466	1	1	1	7
-Other Dis Upper Respiratory Tract	470-478	0	0	0	4
-Pneumonia & Influenza	480-487	2	1	0	9
-Other Respiratory Dis	510-519	0	0	0	1
<b>DIGESTIVE SYSTEM</b>	<b>520-579</b>	0	3	4	17
-Esophagus, Stomach, Duodenum	530-537	0	0	0	1
-Appendicitis	540-543	0	0	0	2
-Hernia	550-553	0	2	3	11
-Enteritis, Colitis	555-558	0	0	1	1
-Other Intestinal Dis	560-569	0	0	0	1
-Other Digestive Dis	570-579	0	1	0	1
<b>GENITOURINARY SYSTEM</b>	<b>580-629</b>	0	0	0	4

(Continued)

\*Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

# Idaho National Laboratory 2007

## Absence Data

### Appendix I. Number of Diagnoses in Each Diagnostic Category by Gender and Job Category\*

		Men			
		Job Category			
		Professional	Administrative Support	Technical Support	Service
Diagnostic Category	ICD-9-CM Code				
-Other Urinary Dis	590-599	1	0	0	2
-Male Genital Organ Dis	600-608	0	0	1	0
<b>SKIN &amp; SUBCUTANEOUS TISSUE</b>	<b>680-709</b>	0	0	0	0
-Infections	680-686	0	0	0	0
<b>MUSCULOSKELETAL &amp; CONNECTIVE TISSUE</b>	<b>710-739</b>	7	7	0	4
-Arthropathies	710-719	2	3	0	1
-Dorsopathies	720-724	0	4	0	3
-Rheumatism, Excluding Back	725-729	4	0	0	0
-Other Dis & Acquired Deformities	730-739	1	0	0	0
<b>SYMPTOMS, SIGNS, &amp; ILL-DEFINED CONDITIONS</b>	<b>780-799</b>	1	0	1	0
-Symptoms	780-789	0	0	1	0
-Ill-Defined & Unknown Causes	797-799	1	0	0	0
<b>INJURY &amp; POISONING</b>	<b>800-999</b>	9	3	4	2
-Fracture - Upper Limb	810-819	0	0	0	0
-Fracture - Lower Limb	820-829	0	0	1	0
-Dislocation	830-839	3	1	0	1
-Sprains & Strains - Back	846-847	0	0	2	1
-Sprains & Strains - Other	840-845, 848	5	0	1	0
-Open Wound - Lower Limb	890-897	0	0	0	0
-Contusion	920-924	1	0	0	0
-Complications of Surgical/Medical Care	996-999	0	2	0	0
<b>HEALTH STATUS/HEALTH SERVICE CONTACT</b>	<b>V01-V82</b>	0	0	0	1
-Personal & Family History	V10-V19	0	0	0	0
-Specific Procedures/Aftercare	V50-V59	0	0	0	1

\*Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

# Idaho National Laboratory 2007

## Absence Data

### Appendix I. Number of Diagnoses in Each Diagnostic Category by Gender and Job Category\*

		Men			
		Job Category			TOTAL
		Security and Fire	Crafts	Line Operators	
Diagnostic Category	ICD-9-CM Code				
-Other Urinary Dis	590-599	0	0	0	3
-Male Genital Organ Dis	600-608	0	0	0	1
SKIN & SUBCUTANEOUS TISSUE	680-709	0	1	0	1
-Infections	680-686	0	1	0	1
MUSCULOSKELETAL & CONNECTIVE TISSUE	710-739	1	9	2	30
-Arthropathies	710-719	0	3	2	11
-Dorsopathies	720-724	1	2	0	10
-Rheumatism, Excluding Back	725-729	0	3	0	7
-Other Dis & Acquired Deformities	730-739	0	1	0	2
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS	780-799	0	0	1	3
-Symptoms	780-789	0	0	1	2
-Ill-Defined & Unknown Causes	797-799	0	0	0	1
INJURY & POISONING	800-999	1	8	1	28
-Fracture - Upper Limb	810-819	0	0	1	1
-Fracture - Lower Limb	820-829	0	1	0	2
-Dislocation	830-839	0	3	0	8
-Sprains & Strains - Back	846-847	0	1	0	4
-Sprains & Strains - Other	840-845, 848	1	2	0	9
-Open Wound - Lower Limb	890-897	0	1	0	1
-Contusion	920-924	0	0	0	1
-Complications of Surgical/Medical Care	996-999	0	0	0	2
HEALTH STATUS/HEALTH SERVICE CONTACT	V01-V82	0	0	1	2
-Personal & Family History	V10-V19	0	0	1	1
-Specific Procedures/Aftercare	V50-V59	0	0	0	1

	Men							TOTAL
	Job Category							
	Professional	Administrative Support	Technical Support	Service	Security and Fire	Crafts	Line Operators	
Diagnostic Category								
TOTAL	35	26	12	13	9	33	12	140

\*Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

**Idaho National Laboratory 2007**

**Absence Data**

**Appendix J. Total Number of Calendar Days Absent in Each Diagnostic Category by Gender and Job Category\***

		Women		
		Job Category		
		Professional	Administrative Support	Technical Support
Diagnostic Category	ICD-9-CM Code			
MALIGNANT NEOPLASMS	140-208, 230-234	0	0	0
NERVOUS SYSTEM (NS) & SENSE ORGANS	320-389	0	0	0
CIRCULATORY SYSTEM	390-459	0	43	0
RESPIRATORY SYSTEM	460-519	16	32	18
DIGESTIVE SYSTEM	520-579	0	13	13
GENITOURINARY SYSTEM	580-629	11	30	0
MUSCULOSKELETAL & CONNECTIVE TISSUE	710-739	0	63	0
INJURY & POISONING	800-999	42	18	0

		Women			
		Job Category			TOTAL
		Service	Security and Fire	Crafts	
Diagnostic Category	ICD-9-CM Code				
MALIGNANT NEOPLASMS	140-208, 230-234	0	0	91	91
NERVOUS SYSTEM (NS) & SENSE ORGANS	320-389	20	0	0	20
CIRCULATORY SYSTEM	390-459	0	0	0	43
RESPIRATORY SYSTEM	460-519	7	0	19	92
DIGESTIVE SYSTEM	520-579	7	0	17	50
GENITOURINARY SYSTEM	580-629	0	0	0	41
MUSCULOSKELETAL & CONNECTIVE TISSUE	710-739	0	0	0	63
INJURY & POISONING	800-999	18	73	19	170

\*Absences with >1 ICD-9-CM code in the same diagnostic category were counted only once. Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

**Idaho National Laboratory 2007**

**Absence Data**

**Appendix J. Total Number of Calendar Days Absent in Each Diagnostic Category by Gender and Job Category\***

		Men			
		Job Category			
		Professional	Administrative Support	Technical Support	Service
Diagnostic Category	ICD-9-CM Code				
INFECTIOUS & PARASITIC DISEASES (DIS)	001-139	0	24	0	0
MALIGNANT NEOPLASMS	140-208, 230-234	14	118	0	0
BENIGN & UNCERTAIN NEOPLASMS	210-229, 235-239	26	0	0	0
ENDOCRINE/METABOLIC/IMMUNITY	240-279	19	0	20	0
MENTAL DISORDERS	290-319	15	52	0	0
NERVOUS SYSTEM (NS) & SENSE ORGANS	320-389	25	0	0	27
CIRCULATORY SYSTEM	390-459	42	162	112	136
RESPIRATORY SYSTEM	460-519	127	65	48	0
DIGESTIVE SYSTEM	520-579	82	82	47	47
GENTOURINARY SYSTEM	580-629	12	0	35	18
SKIN & SUBCUTANEOUS TISSUE	680-709	0	0	0	0
MUSCULOSKELETAL & CONNECTIVE TISSUE	710-739	229	366	0	214
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS	780-799	9	0	20	0
INJURY & POISONING	800-999	211	135	124	43

\*Absences with >1 ICD-9-CM code in the same diagnostic category were counted only once. Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

**Idaho National Laboratory 2007**

**Absence Data**

**Appendix J. Total Number of Calendar Days Absent in Each Diagnostic Category by Gender and Job Category\***

		Men			
		Job Category			TOTAL
		Security and Fire	Crafts	Line Operators	
Diagnostic Category	ICD-9-CM Code				
INFECTIOUS & PARASITIC DISEASES (DIS)	001-139	0	21	0	45
MALIGNANT NEOPLASMS	140-208, 230-234	0	0	42	174
BENIGN & UNCERTAIN NEOPLASMS	210-229, 235-239	0	0	0	26
ENDOCRINE/METABOLIC/IMMUNITY	240-279	0	0	0	39
MENTAL DISORDERS	290-319	0	75	0	142
NERVOUS SYSTEM (NS) & SENSE ORGANS	320-389	0	61	0	113
CIRCULATORY SYSTEM	390-459	33	86	167	738
RESPIRATORY SYSTEM	460-519	49	129	22	440
DIGESTIVE SYSTEM	520-579	0	53	225	536
GENTOURINARY SYSTEM	580-629	0	0	0	65
SKIN & SUBCUTANEOUS TISSUE	680-709	0	33	0	33
MUSCULOSKELETAL & CONNECTIVE TISSUE	710-739	17	444	146	1,416
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS	780-799	0	0	167	196
INJURY & POISONING	800-999	41	264	16	834

\*Absences with >1 ICD-9-CM code in the same diagnostic category were counted only once. Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

# Idaho National Laboratory 2007

## Absence Data

### Appendix K. Age-Adjusted Illness and Injury Rates by Diagnostic Category\*

#### Part 1. Men

		Number of Diagnoses	Age-Adjusted Rate per 1,000**	Lower 95% Confidence Limit per 1,000	Upper 95% Confidence Limit per 1,000
Diagnostic Category	ICD-9-CM Code				
<b>INFECTIOUS &amp; PARASITIC DISEASES (DIS)</b>	<b>001-139</b>	2	0.3	0.1	1.2
-Intestinal Infectious Dis	001-009	1	0.2	0.0	1.2
-Polio & Other Viral CNS Dis	045-049	1	0.1	0.0	0.8
<b>MALIGNANT NEOPLASMS</b>	<b>140-208, 230-234</b>	4	0.5	0.2	1.4
-Genitourinary	179-189	2	0.2	0.1	0.9
-Other & Unspecified Sites	190, 193-199	1	0.2	0.0	1.2
-Lymphatic & Hematopoietic	200-208	1	0.1	0.0	0.8
<b>BENIGN &amp; UNCERTAIN NEOPLASMS</b>	<b>210-229, 235-239</b>	1	0.3	0.0	2.0
<b>ENDOCRINE/METABOLIC/IMMUNITY</b>	<b>240-279</b>	2	0.3	0.1	1.2
-Thyroid Gland Disorders	240-246	1	0.1	0.0	0.8
-Other Metabolic & Immunity Disorders	270-279	1	0.2	0.0	1.2
<b>MENTAL DISORDERS</b>	<b>290-319</b>	6	0.9	0.4	1.9
-Psychoses	290-299	2	0.3	0.1	1.4
-Non-Psychotic Disorders	300-302, 306-316	4	0.5	0.2	1.4
<b>NERVOUS SYSTEM (NS) &amp; SENSE ORGANS</b>	<b>320-389</b>	5	0.6	0.2	1.3
-Disorders of Peripheral NS	350-359	2	0.2	0.1	0.9
-Dis of Ear & Mastoid	380-389	3	0.3	0.1	1.0
<b>CIRCULATORY SYSTEM</b>	<b>390-459</b>	14	2.1	1.2	3.7
-Ischemic Heart Dis	410-414	6	1.0	0.4	2.4
-Dis of Pulmonary Circulation	415-417	1	0.1	0.0	0.8
-Other Heart Dis	420-429	2	0.2	0.1	0.9
-Dis of Arteries & Capillaries	440-448	1	0.1	0.0	0.8
-Dis of Veins, Lymphatics, Other	451-459	4	0.6	0.2	1.8
<b>RESPIRATORY SYSTEM</b>	<b>460-519</b>	21	4.2	2.6	6.8
-Acute Respiratory Infections	460-466	7	1.6	0.7	3.6
-Other Dis Upper Respiratory Tract	470-478	4	0.7	0.2	1.9
-Pneumonia & Influenza	480-487	9	1.9	0.9	3.9
-Other Respiratory Dis	510-519	1	0.1	0.0	0.8
<b>DIGESTIVE SYSTEM</b>	<b>520-579</b>	17	2.8	1.7	4.7
-Esophagus, Stomach, Duodenum	530-537	1	0.3	0.0	2.0
-Appendicitis	540-543	2	0.3	0.1	1.2
-Hernia	550-553	11	1.7	0.9	3.2
-Enteritis, Colitis	555-558	1	0.1	0.0	0.8
-Other Intestinal Dis	560-569	1	0.3	0.0	2.0
-Other Digestive Dis	570-579	1	0.2	0.0	1.2

(Continued)

\*Only those diagnostic categories with at least one occurrence appear in this table.

\*\*Standardized to age distribution of 2000 U.S. population.

# Idaho National Laboratory 2007

## Absence Data

### Appendix K. Age-Adjusted Illness and Injury Rates by Diagnostic Category\*

#### Part 1. Men

		Number of Diagnoses	Age-Adjusted Rate per 1,000**	Lower 95% Confidence Limit per 1,000	Upper 95% Confidence Limit per 1,000
Diagnostic Category	ICD-9-CM Code				
<b>GENITOURINARY SYSTEM</b>	<b>580-629</b>	4	0.6	0.2	1.5
-Other Urinary Dis	590-599	3	0.4	0.1	1.3
-Male Genital Organ Dis	600-608	1	0.2	0.0	1.2
<b>SKIN &amp; SUBCUTANEOUS TISSUE</b>	<b>680-709</b>	1	0.1	0.0	0.8
-Infections	680-686	1	0.1	0.0	0.8
<b>MUSCULOSKELETAL &amp; CONNECTIVE TISSUE</b>	<b>710-739</b>	30	4.6	3.0	6.9
-Arthropathies	710-719	11	1.5	0.8	2.8
-Dorsopathies	720-724	10	1.9	0.9	4.0
-Rheumatism, Excluding Back	725-729	7	0.9	0.4	1.9
-Other Dis & Acquired Deformities	730-739	2	0.3	0.1	1.2
<b>SYMPTOMS, SIGNS, &amp; ILL-DEFINED CONDITIONS</b>	<b>780-799</b>	3	0.4	0.1	1.3
-Symptoms	780-789	2	0.3	0.1	1.2
-Ill-Defined & Unknown Causes	797-799	1	0.1	0.0	0.8
<b>INJURY &amp; POISONING</b>	<b>800-999</b>	28	5.7	3.4	9.6
-Fracture - Upper Limb	810-819	1	1.2	0.2	8.3
-Fracture - Lower Limb	820-829	2	0.3	0.1	1.2
-Dislocation	830-839	8	1.6	0.7	3.5
-Sprains & Strains - Back	846-847	4	0.8	0.3	2.3
-Sprains & Strains - Other	840-845, 848	9	1.3	0.7	2.5
-Open Wound - Head, Neck, Trunk	870-879	1	0.2	0.0	1.2
-Contusion	920-924	1	0.2	0.0	1.2
-Complications of Surgical/Medical Care	996-999	2	0.2	0.1	0.9
<b>Total</b>		138	23.2	18.9	28.4

\*Only those diagnostic categories with at least one occurrence appear in this table.

\*\*Standardized to age distribution of 2000 U.S. population.

# Idaho National Laboratory 2007

## Absence Data

### Appendix K. Age-Adjusted Illness and Injury Rates by Diagnostic Category\*

#### Part 2. Women

		Number of Diagnoses	Age-Adjusted Rate per 1,000**	Lower 95% Confidence Limit per 1,000	Upper 95% Confidence Limit per 1,000
Diagnostic Category	ICD-9-CM Code				
<b>MALIGNANT NEOPLASMS</b>	<b>140-208, 230-234</b>	1	0.4	0.1	2.6
-Breast	174-175	1	0.4	0.1	2.6
<b>NERVOUS SYSTEM (NS) &amp; SENSE ORGANS</b>	<b>320-389</b>	1	0.4	0.1	2.6
-Disorders of Eye	360-379	1	0.4	0.1	2.6
<b>CIRCULATORY SYSTEM</b>	<b>390-459</b>	1	1.0	0.1	7.3
-Cerebrovascular Dis	430-438	1	1.0	0.1	7.3
<b>RESPIRATORY SYSTEM</b>	<b>460-519</b>	8	9.6	3.9	23.7
-Acute Respiratory Infections	460-466	4	7.9	2.7	23.2
-Other Dis Upper Respiratory Tract	470-478	2	0.8	0.2	3.4
-Pneumonia & Influenza	480-487	2	0.8	0.2	3.4
<b>DIGESTIVE SYSTEM</b>	<b>520-579</b>	5	3.5	1.3	8.9
-Esophagus, Stomach, Duodenum	530-537	2	2.1	0.5	8.3
-Enteritis, Colitis	555-558	1	0.5	0.1	3.3
-Other Digestive Dis	570-579	2	0.9	0.2	3.7
<b>GENTOURINARY SYSTEM</b>	<b>580-629</b>	2	0.8	0.2	3.4
-Breast Disorders	610-611	1	0.4	0.1	2.6
-Other Female Disorders	617-629	1	0.5	0.1	3.3
<b>MUSCULOSKELETAL &amp; CONNECTIVE TISSUE</b>	<b>710-739</b>	3	4.0	1.2	13.9
-Arthropathies	710-719	2	2.2	0.4	11.1
-Rheumatism, Excluding Back	725-729	1	1.8	0.2	12.5
<b>INJURY &amp; POISONING</b>	<b>800-999</b>	5	2.0	0.8	4.7
-Fracture - Lower Limb	820-829	2	0.7	0.2	3.0
-Dislocation	830-839	1	0.4	0.1	2.6
-Sprains & Strains - Other	840-845, 848	2	0.8	0.2	3.4
<b>Total</b>		26	21.7	13.1	35.9

\*Only those diagnostic categories with at least one occurrence appear in this table.

\*\*Standardized to age distribution of 2000 U.S. population.

# Idaho National Laboratory 2007

## Absence Data

### Appendix K. Age-Adjusted Illness and Injury Rates by Diagnostic Category\*

#### Part 3. Men and Women

		Number of Diagnoses	Age-Adjusted Rate per 1,000**	Lower 95% Confidence Limit per 1,000	Upper 95% Confidence Limit per 1,000
Diagnostic Category	ICD-9-CM Code				
<b>INFECTIOUS &amp; PARASITIC DISEASES (DIS)</b>	<b>001-139</b>	2	0.2	0.1	0.9
-Intestinal Infectious Dis	001-009	1	0.1	0.0	0.9
-Polio & Other Viral CNS Dis	045-049	1	0.1	0.0	0.6
<b>MALIGNANT NEOPLASMS</b>	<b>140-208, 230-234</b>	5	0.5	0.2	1.1
-Breast	174-175	1	0.1	0.0	0.6
-Genitourinary	179-189	2	0.2	0.0	0.7
-Other & Unspecified Sites	190, 193-199	1	0.1	0.0	0.9
-Lymphatic & Hematopoietic	200-208	1	0.1	0.0	0.6
<b>BENIGN &amp; UNCERTAIN NEOPLASMS</b>	<b>210-229, 235-239</b>	1	0.2	0.0	1.8
<b>ENDOCRINE/METABOLIC/IMMUNITY</b>	<b>240-279</b>	2	0.2	0.1	0.9
-Thyroid Gland Disorders	240-246	1	0.1	0.0	0.6
-Other Metabolic & Immunity Disorders	270-279	1	0.1	0.0	0.9
<b>MENTAL DISORDERS</b>	<b>290-319</b>	6	0.6	0.3	1.4
-Psychoses	290-299	2	0.3	0.1	1.0
-Non-Psychotic Disorders	300-302, 306-316	4	0.4	0.1	1.0
<b>NERVOUS SYSTEM (NS) &amp; SENSE ORGANS</b>	<b>320-389</b>	6	0.5	0.2	1.2
-Disorders of Peripheral NS	350-359	2	0.2	0.0	0.7
-Disorders of Eye	360-379	1	0.1	0.0	0.6
-Dis of Ear & Mastoid	380-389	3	0.3	0.1	0.8
<b>CIRCULATORY SYSTEM</b>	<b>390-459</b>	15	2.0	1.1	3.6
-Ischemic Heart Dis	410-414	6	0.8	0.3	2.1
-Dis of Pulmonary Circulation	415-417	1	0.1	0.0	0.6
-Other Heart Dis	420-429	2	0.2	0.0	0.7
-Cerebrovascular Dis	430-438	1	0.3	0.0	2.2
-Dis of Arteries & Capillaries	440-448	1	0.1	0.0	0.6
-Dis of Veins, Lymphatics, Other	451-459	4	0.5	0.2	1.6
<b>RESPIRATORY SYSTEM</b>	<b>460-519</b>	29	6.2	3.8	10.4
-Acute Respiratory Infections	460-466	11	3.7	1.7	8.1
-Other Dis Upper Respiratory Tract	470-478	6	0.8	0.3	1.8
-Pneumonia & Influenza	480-487	11	1.7	0.9	3.2
-Other Respiratory Dis	510-519	1	0.1	0.0	0.6
<b>DIGESTIVE SYSTEM</b>	<b>520-579</b>	22	3.3	2.1	5.3
-Esophagus, Stomach, Duodenum	530-537	3	0.9	0.3	2.7
-Appendicitis	540-543	2	0.2	0.1	0.9
-Hernia	550-553	11	1.4	0.7	2.6

(Continued)

\*Only those diagnostic categories with at least one occurrence appear in this table.

\*\*Standardized to age distribution of 2000 U.S. population.

# Idaho National Laboratory 2007

## Absence Data

### Appendix K. Age-Adjusted Illness and Injury Rates by Diagnostic Category\*

#### Part 3. Men and Women

		Number of Diagnoses	Age-Adjusted Rate per 1,000**	Lower 95% Confidence Limit per 1,000	Upper 95% Confidence Limit per 1,000
Diagnostic Category	ICD-9-CM Code				
-Enteritis, Colitis	555-558	2	0.2	0.1	0.9
-Other Intestinal Dis	560-569	1	0.2	0.0	1.8
-Other Digestive Dis	570-579	3	0.4	0.1	1.2
<b>GENTOURINARY SYSTEM</b>	<b>580-629</b>	<b>6</b>	<b>0.6</b>	<b>0.3</b>	<b>1.4</b>
-Other Urinary Dis	590-599	3	0.3	0.1	0.9
-Male Genital Organ Dis	600-608	1	0.1	0.0	0.9
-Breast Disorders	610-611	1	0.1	0.0	0.6
-Other Female Disorders	617-629	1	0.1	0.0	0.9
<b>SKIN &amp; SUBCUTANEOUS TISSUE</b>	<b>680-709</b>	<b>1</b>	<b>0.1</b>	<b>0.0</b>	<b>0.6</b>
-Infections	680-686	1	0.1	0.0	0.6
<b>MUSCULOSKELETAL &amp; CONNECTIVE TISSUE</b>	<b>710-739</b>	<b>33</b>	<b>4.1</b>	<b>2.8</b>	<b>6.0</b>
-Arthropathies	710-719	13	1.6	0.9	2.9
-Dorsopathies	720-724	10	1.4	0.6	2.9
-Rheumatism, Excluding Back	725-729	8	0.9	0.4	2.0
-Other Dis & Acquired Deformities	730-739	2	0.2	0.1	0.9
<b>SYMPTOMS, SIGNS, &amp; ILL-DEFINED CONDITIONS</b>	<b>780-799</b>	<b>3</b>	<b>0.3</b>	<b>0.1</b>	<b>0.9</b>
-Symptoms	780-789	2	0.2	0.1	0.9
-Ill-Defined & Unknown Causes	797-799	1	0.1	0.0	0.6
<b>INJURY &amp; POISONING</b>	<b>800-999</b>	<b>33</b>	<b>4.7</b>	<b>3.0</b>	<b>7.5</b>
-Fracture - Upper Limb	810-819	1	0.8	0.1	5.6
-Fracture - Lower Limb	820-829	4	0.4	0.1	1.0
-Dislocation	830-839	9	1.3	0.6	2.7
-Sprains & Strains - Back	846-847	4	0.7	0.2	2.0
-Sprains & Strains - Other	840-845, 848	11	1.2	0.7	2.2
-Open Wound - Head, Neck, Trunk	870-879	1	0.1	0.0	0.9
-Contusion	920-924	1	0.1	0.0	0.9
-Complications of Surgical/Medical Care	996-999	2	0.2	0.0	0.7
<b>Total</b>		<b>164</b>	<b>23.7</b>	<b>19.4</b>	<b>28.9</b>

\*Only those diagnostic categories with at least one occurrence appear in this table.

\*\*Standardized to age distribution of 2000 U.S. population.

**Idaho National Laboratory 2007**  
**OSHA Data**

**Appendix L. Number of Workers with at Least One OSHA Event by Gender, Age, and Job Category\***

Job Category	Women				Men					TOTAL
	Age Group			TOTAL	Age Group				TOTAL	
	30 - 39	40 - 49	50 +		16 - 29	30 - 39	40 - 49	50 +		
Professional	0	1	0	1	1	1	1	4	7	8
Administrative Support	1	0	4	5	0	0	0	3	3	8
Technical Support	1	0	1	2	0	1	1	1	3	5
Service	1	0	1	2	1	1	1	1	4	6
Security and Fire	0	1	0	1	0	1	1	0	2	3
Crafts	0	1	1	2	0	2	4	3	9	11
Line Operators	0	0	0	0	0	0	0	1	1	1
<b>TOTAL</b>	<b>3</b>	<b>3</b>	<b>7</b>	<b>13</b>	<b>2</b>	<b>6</b>	<b>8</b>	<b>13</b>	<b>29</b>	<b>42</b>

\*Only those job categories and gender/age combinations with at least one OSHA event appear in this table.

**Appendix M. Total Number of Workdays Lost or with Restricted Activity from OSHA Events by Gender and Age**

Age Group	Women			Men			TOTAL		
	Number of Events	Days Restricted	Days Lost	Number of Events	Days Restricted	Days Lost	Number of Events	Days Restricted	Days Lost
16 - 29	0	0	0	2	0	0	2	0	0
30 - 39	3	78	76	6	305	158	9	383	234
40 - 49	3	0	0	8	82	188	11	82	188
50 +	7	8	1	14	47	187	21	55	188
<b>TOTAL</b>	<b>13</b>	<b>86</b>	<b>77</b>	<b>30</b>	<b>434</b>	<b>533</b>	<b>43</b>	<b>520</b>	<b>610</b>

**Appendix N. Total Number of Workdays Lost or with Restricted Activity from OSHA Events by Gender and Job Category\***

Job Category	Women			Men			TOTAL		
	Number of Events	Days Restricted	Days Lost	Number of Events	Days Restricted	Days Lost	Number of Events	Days Restricted	Days Lost
Professional	1	0	0	7	0	11	8	0	11
Administrative Support	5	0	7	3	0	180	8	0	187
Technical Support	2	0	0	3	106	119	5	106	119
Service	2	80	69	5	21	42	7	101	111
Security and Fire	1	0	0	2	104	0	3	104	0
Crafts	2	6	1	9	203	181	11	209	182
Line Operators	0	0	0	1	0	0	1	0	0
<b>TOTAL</b>	<b>13</b>	<b>86</b>	<b>77</b>	<b>30</b>	<b>434</b>	<b>533</b>	<b>43</b>	<b>520</b>	<b>610</b>

\*Only those job categories with at least one OSHA event appear in this table.

**Idaho National Laboratory 2007**

**OSHA Data**

**Appendix O. Number of Diagnoses in Each Diagnostic Category by Gender and Age\***

		Women			
		Age Group			TOTAL
		30 - 39	40 - 49	50 +	
Diagnostic Category	ICD-9-CM code				
<b>NERVOUS SYSTEM (NS) &amp; SENSE ORGANS</b>	<b>320-389</b>	0	0	0	0
-Disorders of Eye	360-379	0	0	0	0
<b>RESPIRATORY SYSTEM</b>	<b>460-519</b>	0	1	0	1
-Other Respiratory Dis	510-519	0	1	0	1
<b>MUSCULOSKELETAL &amp; CONNECTIVE TISSUE</b>	<b>710-739</b>	0	0	1	1
-Dorsopathies	720-724	0	0	0	0
-Rheumatism, Excluding Back	725-729	0	0	1	1
<b>INJURY &amp; POISONING</b>	<b>800-999</b>	3	4	6	13
-Fracture - Skull	800-804	0	0	0	0
-Fracture - Upper Limb	810-819	0	0	0	0
-Fracture - Lower Limb	820-829	0	0	0	0
-Sprains & Strains - Back	846-847	0	0	0	0
-Sprains & Strains - Other	840-845, 848	2	0	4	6
-Open Wound - Head, Neck, Trunk	870-879	0	1	0	1
-Open Wound - Upper Limb	880-887	0	0	0	0
-Superficial Injury	910-919	0	0	0	0
-Contusion	920-924	0	2	1	3
-Foreign Body Entering Orifice	930-939	0	0	0	0
-Burns	940-949	0	1	0	1
-Complications & Unspecified Injuries	958-959	1	0	1	2
-Toxic Effects - Non-medicinal	980-989	0	0	0	0
-Unspecified Effects - External Causes	990-995	0	0	0	0

\*Only those diagnostic categories and gender/age combinations with at least one OSHA event appear in this table.

**Idaho National Laboratory 2007**

**OSHA Data**

**Appendix O. Number of Diagnoses in Each Diagnostic Category by Gender and Age\***

		Men					TOTAL	TOTAL
		Age Group				TOTAL		
		16 - 29	30 - 39	40 - 49	50 +			
Diagnostic Category	ICD-9-CM code							
NERVOUS SYSTEM (NS) & SENSE ORGANS	320-389	0	0	1	1	2	2	
-Disorders of Eye	360-379	0	0	1	1	2	2	
RESPIRATORY SYSTEM	460-519	1	0	0	0	1	2	
-Other Respiratory Dis	510-519	1	0	0	0	1	2	
MUSCULOSKELETAL & CONNECTIVE TISSUE	710-739	0	0	1	0	1	2	
-Dorsopathies	720-724	0	0	1	0	1	1	
-Rheumatism, Excluding Back	725-729	0	0	0	0	0	1	
INJURY & POISONING	800-999	2	7	6	13	28	41	
-Fracture - Skull	800-804	0	0	0	1	1	1	
-Fracture - Upper Limb	810-819	0	1	0	1	2	2	
-Fracture - Lower Limb	820-829	0	0	0	3	3	3	
-Sprains & Strains - Back	846-847	0	3	0	1	4	4	
-Sprains & Strains - Other	840-845, 848	0	2	3	0	5	11	
-Open Wound - Head, Neck, Trunk	870-879	0	0	0	0	0	1	
-Open Wound - Upper Limb	880-887	1	0	1	5	7	7	
-Superficial Injury	910-919	0	0	0	1	1	1	
-Contusion	920-924	0	0	0	0	0	3	
-Foreign Body Entering Orifice	930-939	0	0	1	0	1	1	
-Burns	940-949	0	0	0	0	0	1	
-Complications & Unspecified Injuries	958-959	0	0	0	1	1	3	
-Toxic Effects - Non-medicinal	980-989	1	0	0	0	1	1	
-Unspecified Effects - External Causes	990-995	0	1	1	0	2	2	

	Women				Men					TOTAL
	Age Group			TOTAL	Age Group				TOTAL	
	30 - 39	40 - 49	50 +		16 - 29	30 - 39	40 - 49	50 +		
Diagnostic Category										
TOTAL	3	5	7	15	3	7	8	14	32	47

\*Only those diagnostic categories and gender/age combinations with at least one OSHA event appear in this table.

**Idaho National Laboratory 2007**

**OSHA Data**

**Appendix P. Number of Workdays Lost or with Restricted Activity in Each Diagnostic Category by Gender and Age\***

		Women					
		Age Group					
		30 - 39		40 - 49		50 +	
		Days Restricted	Days Lost	Days Restricted	Days Lost	Days Restricted	Days Lost
Diagnostic Category	ICD-9-CM Codes						
-Other Respiratory Dis	510-519	0	0	0	0	0	0
-Rheumatism, Excluding Back	725-729	0	0	0	0	6	1
-Sprains & Strains - Other	840-845, 848	78	69	0	0	2	0
-Open Wound - Head, Neck, Trunk	870-879	0	0	0	0	0	0
-Contusion	920-924	0	0	0	0	0	0
-Burns	940-949	0	0	0	0	0	0
-Complications & Unspecified Injuries	958-959	0	7	0	0	0	0

		Men							
		Age Group							
		16 - 29		30 - 39		40 - 49		50 +	
		Days Restricted	Days Lost						
Diagnostic Category	ICD-9-CM Codes								
-Disorders of Eye	360-379	0	0	0	0	0	0	0	0
-Other Respiratory Dis	510-519	0	0	0	0	0	0	0	0
-Dorsopathies	720-724	0	0	0	0	4	17	0	0
-Fracture - Skull	800-804	0	0	0	0	0	0	0	0
-Fracture - Upper Limb	810-819	0	0	0	107	0	0	0	0
-Fracture - Lower Limb	820-829	0	0	0	0	0	0	0	180
-Sprains & Strains - Back	846-847	0	0	184	26	0	0	0	0
-Sprains & Strains - Other	840-845, 848	0	0	17	25	78	171	0	0
-Open Wound - Upper Limb	880-887	0	0	0	0	0	0	47	7
-Superficial Injury	910-919	0	0	0	0	0	0	0	0
-Foreign Body Entering Orifice	930-939	0	0	0	0	0	0	0	0
-Complications & Unspecified Injuries	958-959	0	0	0	0	0	0	0	0
-Toxic Effects - Non-medicinal	980-989	0	0	0	0	0	0	0	0
-Unspecified Effects - External Causes	990-995	0	0	104	0	0	0	0	0

\*OSHA events with >1 ICD-9-CM code in the same diagnostic category were counted only once. Only those diagnostic categories and gender/age combinations with at least one occurrence appear in this table.

**Idaho National Laboratory 2007**  
**OSHA Data**

**Appendix Q. Number of Occurrences in Each Accident Category by Gender and Age\***

		Women			Men					TOTAL
		Age Group		TOTAL	Age Group				TOTAL	
		30 - 39	50 +		16 - 29	30 - 39	40 - 49	50 +		
Type of Accident	E Codes									
Accidental Poisoning - Non-medicinal	E860-E869	0	0	0	1	0	0	0	1	1
Falls	E880-E888	0	1	1	0	0	0	1	1	2
Submersion/Suffocation/Foreign Bodies	E910-E915	0	0	0	0	0	1	0	1	1
Other Accidents	E916-E928	1	1	2	0	2	1	5	8	10

\*Only those accident types and gender/age combinations with at least one occurrence appear in this table.

**Idaho National Laboratory 2007**  
**OSHA Data**

**Appendix R. Number of Workdays Lost or with Restricted Activity in Each Accident Category by Gender and Age\***

		Women			
		Age Group			
		30 - 39		50 +	
		Days Restricted	Days Lost	Days Restricted	Days Lost
Type of Accident	E Codes				
Falls	E880-E888	0	0	0	0
Other Accidents	E916-E928	0	7	0	0

		Men							
		Age Group							
		16 - 29		30 - 39		40 - 49		50 +	
		Days Restricted	Days Lost						
Type of Accident	E Codes								
Accidental Poisoning - Non-medicinal	E860-E869	0	0	0	0	0	0	0	0
Falls	E880-E888	0	0	0	0	0	0	0	0
Submersion/Suffocation/Foreign Bodies	E910-E915	0	0	0	0	0	0	0	0
Other Accidents	E916-E928	0	0	104	107	0	0	0	0

\*OSHA events with >1 E code in the same accident type were counted only once. Only those accident types and gender/age combinations with at least one occurrence appear in this table.

**Idaho National Laboratory 2007**

OSHA Data

**Appendix S. Number of Diagnoses in Each Diagnostic Category by Gender and Job Category\***

		Women							TOTAL
		Job Category							
		Professional	Administrative Support	Technical Support	Service	Security and Fire	Crafts		
Diagnostic Category	ICD-9-CM Code								
RESPIRATORY SYSTEM	460-519	1	0	0	0	0	0	1	
-Other Respiratory Dis	510-519	1	0	0	0	0	0	1	
MUSCULOSKELETAL & CONNECTIVE TISSUE	710-739	0	0	0	0	0	1	1	
-Rheumatism, Excluding Back	725-729	0	0	0	0	0	1	1	
INJURY & POISONING	800-999	1	5	2	2	1	2	13	
-Sprains & Strains - Other	840-845, 848	0	3	1	2	0	0	6	
-Open Wound - Head, Neck, Trunk	870-879	0	0	0	0	1	0	1	
-Contusion	920-924	0	1	0	0	0	2	3	
-Burns	940-949	1	0	0	0	0	0	1	
-Complications & Unspecified Injuries	958-959	0	1	1	0	0	0	2	

		Women						TOTAL
		Job Category						
		Professional	Administrative Support	Technical Support	Service	Security and Fire	Crafts	
Diagnostic Category								
TOTAL		2	5	2	2	1	3	15

		Men							
		Job Category							TOTAL
		Professional	Administrative Support	Technical Support	Service	Security and Fire	Crafts	Line Operators	
Diagnostic Category	ICD-9-CM Code								
NERVOUS SYSTEM (NS) & SENSE ORGANS	320-389	0	0	0	1	0	1	0	2
-Disorders of Eye	360-379	0	0	0	1	0	1	0	2
RESPIRATORY SYSTEM	460-519	1	0	0	0	0	0	0	1
-Other Respiratory Dis	510-519	1	0	0	0	0	0	0	1
MUSCULOSKELETAL & CONNECTIVE TISSUE	710-739	0	0	0	1	0	0	0	1
-Dorsopathies	720-724	0	0	0	1	0	0	0	1
INJURY & POISONING	800-999	8	3	3	3	2	8	1	28

(Continued)

\*Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

**Idaho National Laboratory 2007**

**OSHA Data**

**Appendix S. Number of Diagnoses in Each Diagnostic Category by Gender and Job Category\***

		Men							TOTAL
		Job Category							
		Professional	Administrative Support	Technical Support	Service	Security and Fire	Crafts	Line Operators	
Diagnostic Category	ICD-9-CM Code								
-Fracture - Skull	800-804	0	0	0	0	0	1	0	1
-Fracture - Upper Limb	810-819	1	0	0	0	0	1	0	2
-Fracture - Lower Limb	820-829	1	2	0	0	0	0	0	3
-Sprains & Strains - Back	846-847	1	0	1	0	0	2	0	4
-Sprains & Strains - Other	840-845, 848	2	0	1	1	0	1	0	5
-Open Wound - Upper Limb	880-887	1	1	1	1	0	2	1	7
-Superficial Injury	910-919	1	0	0	0	0	0	0	1
-Foreign Body Entering Orifice	930-939	0	0	0	0	0	1	0	1
-Complications & Unspecified Injuries	958-959	0	0	0	1	0	0	0	1
-Toxic Effects - Non-medicinal	980-989	1	0	0	0	0	0	0	1
-Unspecified Effects - External Causes	990-995	0	0	0	0	2	0	0	2

		Men							TOTAL
		Job Category							
		Professional	Administrative Support	Technical Support	Service	Security and Fire	Crafts	Line Operators	
Diagnostic Category									
<b>TOTAL</b>		9	3	3	5	2	9	1	32

\*Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

**Idaho National Laboratory 2007**

**OSHA Data**

**Appendix T. Number of Workdays Lost or with Restricted Activity in Each Diagnostic Category by Gender and Job Category\***

		Women					
		Job Category					
		Professional		Administrative Support		Technical Support	
		Days Restricted	Days Lost	Days Restricted	Days Lost	Days Restricted	Days Lost
Diagnostic Category	ICD-9-CM Codes						
-Other Respiratory Dis	510-519	0	0	0	0	0	0
-Rheumatism, Excluding Back	725-729	0	0	0	0	0	0
-Sprains & Strains - Other	840-845, 848	0	0	0	0	0	0
-Open Wound - Head, Neck, Trunk	870-879	0	0	0	0	0	0
-Contusion	920-924	0	0	0	0	0	0
-Burns	940-949	0	0	0	0	0	0
-Complications & Unspecified Injuries	958-959	0	0	0	7	0	0

		Women					
		Job Category					
		Service		Security and Fire		Crafts	
		Days Restricted	Days Lost	Days Restricted	Days Lost	Days Restricted	Days Lost
Diagnostic Category	ICD-9-CM Codes						
-Other Respiratory Dis	510-519	0	0	0	0	0	0
-Rheumatism, Excluding Back	725-729	0	0	0	0	6	1
-Sprains & Strains - Other	840-845, 848	80	69	0	0	0	0
-Open Wound - Head, Neck, Trunk	870-879	0	0	0	0	0	0
-Contusion	920-924	0	0	0	0	0	0
-Burns	940-949	0	0	0	0	0	0
-Complications & Unspecified Injuries	958-959	0	0	0	0	0	0

\*OSHA events with >1 ICD-9-CM code in the same diagnostic category were counted only once. Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

**Idaho National Laboratory 2007**

**OSHA Data**

**Appendix T. Number of Workdays Lost or with Restricted Activity in Each Diagnostic Category by Gender and Job Category\***

		Men							
		Job Category							
		Professional		Administrative Support		Technical Support		Service	
		Days Restricted	Days Lost	Days Restricted	Days Lost	Days Restricted	Days Lost	Days Restricted	Days Lost
Diagnostic Category	ICD-9-CM Codes								
-Disorders of Eye	360-379	0	0	0	0	0	0	0	0
-Other Respiratory Dis	510-519	0	0	0	0	0	0	0	0
-Dorsopathies	720-724	0	0	0	0	0	0	4	17
-Fracture - Skull	800-804	0	0	0	0	0	0	0	0
-Fracture - Upper Limb	810-819	0	0	0	0	0	0	0	0
-Fracture - Lower Limb	820-829	0	0	0	180	0	0	0	0
-Sprains & Strains - Back	846-847	0	0	0	0	28	22	0	0
-Sprains & Strains - Other	840-845, 848	0	11	0	0	78	97	17	25
-Open Wound - Upper Limb	880-887	0	0	0	0	0	0	0	0
-Superficial Injury	910-919	0	0	0	0	0	0	0	0
-Foreign Body Entering Orifice	930-939	0	0	0	0	0	0	0	0
-Complications & Unspecified Injuries	958-959	0	0	0	0	0	0	0	0
-Toxic Effects - Non-medicinal	980-989	0	0	0	0	0	0	0	0
-Unspecified Effects - External Causes	990-995	0	0	0	0	0	0	0	0

\*OSHA events with >1 ICD-9-CM code in the same diagnostic category were counted only once. Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

**Idaho National Laboratory 2007**

**OSHA Data**

**Appendix T. Number of Workdays Lost or with Restricted Activity in Each Diagnostic Category by Gender and Job Category\***

		Men					
		Job Category					
		Security and Fire		Crafts		Line Operators	
		Days Restricted	Days Lost	Days Restricted	Days Lost	Days Restricted	Days Lost
Diagnostic Category	ICD-9-CM Codes						
-Disorders of Eye	360-379	0	0	0	0	0	0
-Other Respiratory Dis	510-519	0	0	0	0	0	0
-Dorsopathies	720-724	0	0	0	0	0	0
-Fracture - Skull	800-804	0	0	0	0	0	0
-Fracture - Upper Limb	810-819	0	0	0	107	0	0
-Fracture - Lower Limb	820-829	0	0	0	0	0	0
-Sprains & Strains - Back	846-847	0	0	156	4	0	0
-Sprains & Strains - Other	840-845, 848	0	0	0	63	0	0
-Open Wound - Upper Limb	880-887	0	0	47	7	0	0
-Superficial Injury	910-919	0	0	0	0	0	0
-Foreign Body Entering Orifice	930-939	0	0	0	0	0	0
-Complications & Unspecified Injuries	958-959	0	0	0	0	0	0
-Toxic Effects - Non-medicinal	980-989	0	0	0	0	0	0
-Unspecified Effects - External Causes	990-995	104	0	0	0	0	0

\*OSHA events with >1 ICD-9-CM code in the same diagnostic category were counted only once. Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

**Idaho National Laboratory 2007**

**OSHA Data**

**Appendix U. Number of Occurrences in Each Accident Category by Gender and Job Category\***

		Women		
		Job Category		TOTAL
		Administrative Support	Technical Support	
Type of Accident	E CODES			
Falls	E880-E888	1	0	1
Other Accidents	E916-E928	1	1	2

		Men						TOTAL
		Job Category						
		Professional	Administrative Support	Service	Security and Fire	Crafts	Line Operators	
Type of Accident	E CODES							
Accidental Poisoning - Non-medicinal	E860-E869	1	0	0	0	0	0	1
Falls	E880-E888	1	0	0	0	0	0	1
Submersion/Suffocation/Foreign Bodies	E910-E915	0	0	0	0	1	0	1
Other Accidents	E916-E928	2	1	1	2	1	1	8

\*Only those accident types and gender/job category combinations with at least one occurrence appear in this table.

**Idaho National Laboratory 2007**

**OSHA Data**

**Appendix V. Number of Workdays Lost or with Restricted Activity in Each Accident Category by Gender and Job Category\***

		Women			
		Job Category			
		Administrative Support		Technical Support	
		Days Restricted	Days Lost	Days Restricted	Days Lost
Type of Accident	E Codes				
Falls	E880-E888	0	0	0	0
Other Accidents	E916-E928	0	7	0	0

		Men					
		Job Category					
		Professional		Administrative Support		Service	
		Days Restricted	Days Lost	Days Restricted	Days Lost	Days Restricted	Days Lost
Type of Accident	E Codes						
Accidental Poisoning - Non-medicinal	E860-E869	0	0	0	0	0	0
Falls	E880-E888	0	0	0	0	0	0
Submersion/Suffocation/Foreign Bodies	E910-E915	0	0	0	0	0	0
Other Accidents	E916-E928	0	0	0	0	0	0

		Men					
		Job Category					
		Security and Fire		Crafts		Line Operators	
		Days Restricted	Days Lost	Days Restricted	Days Lost	Days Restricted	Days Lost
Type of Accident	E Codes						
Accidental Poisoning - Non-medicinal	E860-E869	0	0	0	0	0	0
Falls	E880-E888	0	0	0	0	0	0
Submersion/Suffocation/Foreign Bodies	E910-E915	0	0	0	0	0	0
Other Accidents	E916-E928	104	0	0	107	0	0

\*OSHA events with >1 E code in the same accident type were counted only once. Only those accident types and gender/job category combinations with at least one occurrence appear in this table.

**Idaho National Laboratory 2007**

**OSHA Data**

**Appendix W. Age-Adjusted OSHA Illness and Injury Rates by Diagnostic Category\***

**Part 1. Men**

		<b>Number of Diagnoses</b>	<b>Age-Adjusted Rate per 1,000**</b>	<b>Lower 95% Confidence Limit per 1,000</b>	<b>Upper 95% Confidence Limit per 1,000</b>
<b>Diagnostic Category</b>	<b>ICD-9-CM Code</b>				
<b>NERVOUS SYSTEM (NS) &amp; SENSE ORGANS</b>	<b>320-389</b>	2	0.3	0.1	1.2
-Disorders of Eye	360-379	2	0.3	0.1	1.2
<b>RESPIRATORY SYSTEM</b>	<b>460-519</b>	1	1.2	0.2	8.3
-Other Respiratory Dis	510-519	1	1.2	0.2	8.3
<b>MUSCULOSKELETAL &amp; CONNECTIVE TISSUE</b>	<b>710-739</b>	1	0.2	0.0	1.2
-Dorsopathies	720-724	1	0.2	0.0	1.2
<b>INJURY &amp; POISONING</b>	<b>800-999</b>	28	8.2	4.9	13.7
-Fracture - Skull	800-804	1	0.1	0.0	0.8
-Fracture - Upper Limb	810-819	2	0.7	0.2	3.0
-Fracture - Lower Limb	820-829	3	0.3	0.1	1.0
-Sprains & Strains - Back	846-847	4	1.5	0.5	4.2
-Sprains & Strains - Other	840-845, 848	5	1.4	0.5	3.8
-Open Wound - Upper Limb	880-887	7	1.9	0.5	6.6
-Superficial Injury	910-919	1	0.1	0.0	0.8
-Foreign Body Entering Orifice	930-939	1	0.2	0.0	1.2
-Toxic Effects - Non-medicinal	980-989	3	1.8	0.5	7.2
-Complications of Surgical/Medical Care	996-999	1	0.1	0.0	0.8
<b>Total</b>		32	9.8	6.0	16.0

\*Only those diagnostic categories with at least one occurrence appear in this table.

\*\*Standardized to age distribution of 2000 U.S. population.

**Idaho National Laboratory 2007**

**OSHA Data**

**Appendix W. Age-Adjusted OSHA Illness and Injury Rates by Diagnostic Category\***

**Part 2. Women**

		<b>Number of Diagnoses</b>	<b>Age-Adjusted Rate per 1,000**</b>	<b>Lower 95% Confidence Limit per 1,000</b>	<b>Upper 95% Confidence Limit per 1,000</b>
<b>Diagnostic Category</b>	<b>ICD-9-CM Code</b>				
<b>RESPIRATORY SYSTEM</b>	<b>460-519</b>	1	0.5	0.1	3.3
-Other Respiratory Dis	510-519	1	0.5	0.1	3.3
<b>MUSCULOSKELETAL &amp; CONNECTIVE TISSUE</b>	<b>710-739</b>	1	0.4	0.1	2.6
-Rheumatism, Excluding Back	725-729	1	0.4	0.1	2.6
<b>INJURY &amp; POISONING</b>	<b>800-999</b>	13	10.0	5.2	19.1
-Sprains & Strains - Other	840-845, 848	6	6.3	2.6	15.7
-Open Wound - Head, Neck, Trunk	870-879	1	0.5	0.1	3.3
-Contusion	920-924	3	1.3	0.4	4.1
-Burns	940-949	1	0.5	0.1	3.3
-Complications of Surgical/Medical Care	996-999	2	1.4	0.3	6.5
<b>Total</b>		15	10.8	5.9	19.9

\*Only those diagnostic categories with at least one occurrence appear in this table.

\*\*Standardized to age distribution of 2000 U.S. population.

# Idaho National Laboratory 2007

## OSHA Data

### Appendix W. Age-Adjusted OSHA Illness and Injury Rates by Diagnostic Category\*

#### Part 3. Men and Women

		Number of Diagnoses	Age-Adjusted Rate per 1,000**	Lower 95% Confidence Limit per 1,000	Upper 95% Confidence Limit per 1,000
Diagnostic Category	ICD-9-CM Code				
<b>NERVOUS SYSTEM (NS) &amp; SENSE ORGANS</b>	<b>320-389</b>	2	0.2	0.1	0.9
-Disorders of Eye	360-379	2	0.2	0.1	0.9
<b>RESPIRATORY SYSTEM</b>	<b>460-519</b>	2	0.9	0.2	5.1
-Other Respiratory Dis	510-519	2	0.9	0.2	5.1
<b>MUSCULOSKELETAL &amp; CONNECTIVE TISSUE</b>	<b>710-739</b>	2	0.2	0.1	0.9
-Dorsopathies	720-724	1	0.1	0.0	0.9
-Rheumatism, Excluding Back	725-729	1	0.1	0.0	0.6
<b>INJURY &amp; POISONING</b>	<b>800-999</b>	41	8.1	5.5	12.1
-Fracture - Skull	800-804	1	0.1	0.0	0.6
-Fracture - Upper Limb	810-819	2	0.6	0.1	2.3
-Fracture - Lower Limb	820-829	3	0.3	0.1	0.8
-Sprains & Strains - Back	846-847	4	1.0	0.4	2.9
-Sprains & Strains - Other	840-845, 848	11	2.3	1.2	4.4
-Open Wound - Head, Neck, Trunk	870-879	1	0.1	0.0	0.9
-Open Wound - Upper Limb	880-887	7	1.3	0.4	4.5
-Superficial Injury	910-919	1	0.1	0.0	0.6
-Contusion	920-924	3	0.3	0.1	1.1
-Foreign Body Entering Orifice	930-939	1	0.1	0.0	0.9
-Burns	940-949	1	0.1	0.0	0.9
-Toxic Effects - Non-medicinal	980-989	3	1.2	0.3	4.8
-Complications of Surgical/Medical Care	996-999	3	0.5	0.1	1.9
<b>Total</b>		47	9.5	6.5	13.8

\*Only those diagnostic categories with at least one occurrence appear in this table.

\*\*Standardized to age distribution of 2000 U.S. population.